

## DATI TECNICI

TECHNICAL DATA

Portata Capacity daN	Sbraccio Arm length m	Gru tipo Crane type	Paranco Kito tipo Kito hoist type	Dimensioni Dimensions										Piastra base per tasselli Base plate for chemical anchors	Piastra base per tirafondi Base plate for long bolts	Peso gru senza paranco Crane weight with no hoist	P daN	M daN
				H mm	H1 mm	A mm	B mm	C mm	D mm	E mm	N mm	T mm	Codice Code	Codice Code	kg			
250 + 250	4 + 4	C2T 2B 25/ 4+4	KQ3S-SD	3565	3010	350	4010	415	865	180	120	120	066C10	061F08	725	1125	3000	
250 + 250	5 + 5	C2T 2B 25/ 5+5	KQ3S-SD	3575	2775	405	5010	415	1040	180	120	120	072C12	066F08	860	1185	3875	
250 + 250	6 + 6	C2T 2B 25/ 6+6	KQ3S-SD	3575	2775	405	6010	415	1040	180	140	140	072C12	066F08	970	1400	4815	
250 + 250	7 + 7	C2T 2B 25/ 7+7	KQ3S-SD	3575	2775	405	7010	415	1125	180	140	140	072C12	066F08	1035	1435	5710	
250 + 250	8 + 8	C2T 2B 25/ 8+8	KQ3S-SD	3580	2665	470	8010	415	1300	180	160	160	100C16	072F12	1515	1780	7080	
500 + 500	2 + 2	C2T 2B 50/ 2+2	KQ5S-SD	3565	3010	350	2010	430	610	180	120	120	066C10	061F08	550	1665	2840	
500 + 500	3 + 3	C2T 2B 50/ 3+3	KQ5S-SD	3565	3010	350	3010	430	865	180	120	120	066C10	061F08	605	1705	4180	
500 + 500	4 + 4	C2T 2B 50/ 4+4	KQ5S-SD	3575	2775	405	4010	430	955	180	120	120	072C12	066F08	805	1940	5720	
500 + 500	5 + 5	C2T 2B 50/ 5+5	KQ5S-SD	3575	2775	405	5010	430	1040	180	140	140	090C16	066F08	1000	2090	7220	
500 + 500	6 + 6	C2T 2B 50/ 6+6	KQ5S-SD	3580	2665	470	6010	430	1130	180	140	140	100C16	072F12	1185	2280	8865	
500 + 500	7 + 7	C2T 2B 50/ 7+7	KQ5S-SD	3580	2665	470	7010	430	1215	180	140	140	100C12	072F12	1335	2395	10715	
500 + 500	8 + 8	C2T 2B 50/ 8+8	KQ5S-SD	3580	2560	565	8010	430	1390	180	160	160	100C12	072F12	1555	2450	12385	
1000 + 1000	3 + 3	C2T 2B 100/ 3+3	KQ10S-SD	3580	2780	405	3010	490	970	190	140	140	090C16	066F08	870	3170	8140	
1000 + 1000	4 + 4	C2T 2B 100/ 4+4	KQ10S-SD	3580	2665	470	4010	490	1140	190	160	160	090C16	072F12	975	3375	10995	
1000 + 1000	5 + 5	C2T 2B 100/ 5+5	KQ10S-SD	3580	2665	470	5010	490	1190	190	160	160	100C12	072F12	1280	3440	13680	
1000 + 1000	6 + 6	C2T 2B 100/ 6+6	KQ10S-SD	3580	2310	565	6010	490	1190	190	180	180	100C12	072F12		3515	16625	
1000 + 1000	7 + 7	C2T 2B 100/ 7+7	KQ10S-SD	3580	2310	565	7010	490	1190	190	180	180	100C12	072F12		3635	19700	

Carichi calcolati secondo UNI EN 13001 parti 1 e 2.  
Loads calculated according to UNI EN 13001 parts 1 and 2.

